




CATÁLOGO DE **PRODUCTOS**

CONSTRUCCIÓN



INCLUYE EL 12%

1/4x2"



APH-4458 REF C 0.29
PZA | ANCLAJE ROSC. EXTERNA WEDGE
1/4X2ZIN
REF A=0.18 REF B=0.28

**1/4x
2.1/2"**



APH-4460 REF C 0.44
PZA | ANCLAJE ROSC. EXT. WEDGE
1/4X2.1/2ZIN
REF A=0.28 REF B=0.42

**3/8x
2.1/2"**



APH-4466 REF C 0.49
PZA | ANCLAJE ROSC. EXT. WEDGE
3/8X2.1/2ZIN
REF A=0.31 REF B=0.47

3/8x3"



APH-4468 REF C 0.49
PZA | ANCLAJE ROSC. EXTERNA WEDGE
3/8X3ZIN
REF A=0.31 REF B=0.47

1/2x3"



APH-4470 REF C 0.98
PZA | ANCLAJE ROSC. EXTERNA WEDGE
1/2X3ZIN
REF A=0.61 REF B=0.93

1/2x4"



APH-4472 REF C 1.27
PZA | ANCLAJE ROSC. EXTERNA WEDGE
1/2X4ZIN
REF A=0.8 REF B=1.21

1/2x5"



APH-4474 REF C 1.59
PZA | ANCLAJE ROSC. EXTERNA WEDGE
1/2X5ZIN
REF A=0.99 REF B=1.51

5/8x5"



APH-4484 REF C 2.3
PZA | ANCLAJE ROSC. EXTERNA WEDGE
5/8X5ZIN
REF A=1.44 REF B=2.19

5/8x6"



APH-4486 REF C 2.55
PZA | ANCLAJE ROSC. EXTERNA WEDGE
5/8X6ZIN
REF A=1.59 REF B=2.42



**5/8
x8.1/2**

APH-4488 REF C 3.8
PZA | ANCLAJE ROSC.EXT.WEDGE
5/8X8.1/2ZIN
REF A=2.37 REF B=3.61



3/16x1M

BAR-0010 REF C 1.7
PZA | BARRA ROSCADA GALVANIZADA
3/16X1M.
REF A=1.06 REF B=1.62



1/4x2M

BAR-0020 REF C 2.95
PZA | BARRA ROSCADA GALVANIZADA
1/4X2 M
REF A=1.84 REF B=2.8



5/16x2M

BAR-0030 REF C 5.5
PZA | BARRA ROSCADA GALVANIZADA
5/16X2 M.
REF A=3.44 REF B=5.23



3/8x2M

BAR-0040 REF C 7.06
PZA | BARRA ROSCADA GALVANIZAD.3/8 X
2 M
REF A=4.41 REF B=6.71



7/16"x2M

BAR-0050 REF C 11.44
PZA | BARRA ROSCADA GALVANIZADA
7/16X 2M
REF A=7.14 REF B=10.87



1/2x2M

BAR-0060 REF C 13.88
PZA | BARRA ROSCADA GALVANIZAD.1/2 X
2 M.
REF A=8.66 REF B=13.19




9/16"x2M

BAR-0070 REF C 19.48
PZA | BARRA ROSCADA GALVANIZADA
9/16X2 M.
REF A=12.16 REF B=18.51



5/8x2M

BAR-0080 REF C 23.13
PZA | BARRA ROSCADA GALVANIZAD.5/8 X
2 M.
REF A=14.44 REF B=21.98

3/4x2M


BAR-0090 REF C 37.01
 PZA | BARRA ROSCADA GALVANIZADA
 3/4X2 M.
 REF A=23.1 REF B=35.16

7/8x2M


BAR-1000 REF C 53.57
 PZA | BARRA ROSCADA GALVANIZADA
 7/8X2 M
 REF A=33.44 REF B=50.9

1x2M


BAR-1010 REF C 67.69
 PZA | BARRA ROSCADA GALVANIZADA 1X2
 MTS
 REF A=42.26 REF B=64.31

1/4x1M

BAR-1020 REF C 12.73
 PZA | BARRA ROSCADA BRONCE 1/4" X 1
 MT
 REF A=7.95 REF B=12.1

5/16x1M


BAR-1030 REF C 19.68
 PZA | BARRA ROSCADA BRONCE 5/16" X 1
 MT
 REF A=12.28 REF B=18.7

3/8x1M

BAR-1040 REF C 27.47
 PZA | BARRA ROSCADA BRONCE 3/8" X 1
 MT
 REF A=17.15 REF B=26.1

**14.5x
2.40M**

BAR-1053 REF C 29.99
 PZA | BARRA COPPERWEDL
 COBR.14.5X2.40MTS
 REF A=18.72 REF B=28.49

1/2x1M

BAR-1060 REF C 48.33
 PZA | BARRA ROSCADA BRONCE 1/2" X 1
 MT
 REF A=30.17 REF B=45.92

**1/2x8
14x200**

BELLOTA

BLL-0802 REF C 10.54
 PZA | CINCEL PLAN 5825 1/2X8 14X200 BEL
 REF A=6.58 REF B=10.01

DIESEL TOOLS



1/2x10
14x250

 **BELLOTA**

BLL-0804 REF C 12.86
PZA | CINCEL PLAN 5825 1/2x10 14x250 BEL
REF A=8.03 REF B=12.22



5/8x6
16x150

 **BELLOTA**

BLL-0813 REF C 7.98
PZA | CINCEL PLAN 5825 5/8x6 16x150 BEL
REF A=4.98 REF B=7.58



5/8x8
16x200

 **BELLOTA**

BLL-0815 REF C 11.73
PZA | CINCEL PLAN 5825 5/8x8 16x200 BEL
REF A=7.32 REF B=11.14



3/4x8
20x200

 **BELLOTA**

BLL-0825 REF C 20.63
PZA | CINCEL PLAN 5825 3/4x8 20x200 BEL
REF A=12.88 REF B=19.6



1/2x6
14x150

 **BELLOTA**

BLL-0831 REF C 6.57
PZA | CINCEL PUNT 5821 1/2x6 14x150 BEL
REF A=4.1 REF B=6.24



1/2x8
14x200

 **BELLOTA**

BLL-0832 REF C 8.67
PZA | CINCEL PUNT 5821 1/2x8 14x200 BEL
REF A=5.41 REF B=8.23



1/2x10
14x250

 **BELLOTA**

BLL-0833 REF C 12.29
PZA | CINCEL PUNT 5821 1/2x10 14x250 BEL
REF A=7.67 REF B=11.67



5/8x8
16x200

 **BELLOTA**

BLL-0836 REF C 11.1
PZA | CINCEL PUNT 5821 5/8x8 16x200 BEL
REF A=6.93 REF B=10.55



5/8x10
16x250

 **BELLOTA**

BLL-0837 REF C 13.49
PZA | CINCEL PUNT 5821 5/8x10 16x250 BEL
REF A=8.42 REF B=12.82



11/16x8
16x200

BELLOTA

BLL-0840 REF C 15.32
PZA | CINCE.PUN 5821 11/16X8 16X200
BELL
REF A=9.56 REF B=14.55



9"

BELLOTA

BLL-1000 REF C 30.73
PZA | CUCHARA PUNT.RED.M/MAD 5842-L
9"BEL
REF A=19.18 REF B=29.19



BELLOTA

BLL-6050 REF C 30.44
PZA | PICO PUNTA Y PALA S/CABO BELLOTA
REF A=19 REF B=28.92



1.1/2"x10"
(3.4mm)

PARTEMSA

CLA-0215 REF C 86.1
CJA | CLV.ACE.RAN.1.1/2"10(3.4)C/1500 PT
REF A=53.74 REF B=81.8



2"x8

PARTEMSA

CLA-0235 REF C 71.28
CJA | CLAV.ACERO.RANURAD.2"x8 C/700
PART
REF A=44.5 REF B=67.72



3"x8"
(4.3mm)

C.A. Mejía & Cía.

CLA-0250 REF C 36.03
CJA | CLA ACER RAN.3"x8 (4.3M)C/250pMEJI
REF A=22.49 REF B=34.23



3"x8

PARTEMSA

CLA-0255 REF C 57.65
CJM | CLAV.ACERO RANURAD.3"x8C/400
PARTM
REF A=35.99 REF B=54.77



4"x6"
(4.3mm)

C.A. Mejía & Cía.

CLA-0260 REF C 45.05
CJA | CLA.ACER RAN.4"x6 (4.3m)c/250PMEJI
REF A=28.12 REF B=42.8



4"x8"

PARTEMSA

CLA-0265 REF C 72.06
CJM | CLAV.ACERO RANURAD.4"x8C/400
PARTM
REF A=44.98 REF B=68.46



1"x10"



CLA-0298 REF C 4.51
KIL | CLAVO ACERO RANURADO 1" X 10 IMP

REF A=2.81 REF B=4.28



1.1/2"x10"



CLA-0300 REF C 4.51
KIL | CLAVO ACERO RANURADO 1.1/2" X 10 IMP

REF A=2.81 REF B=4.28



4"x10"



CLA-0320 REF C 4.51
KIL | CLAVO ACERO RANURADO 4" X 10 IMP

REF A=2.81 REF B=4.28

20x20"
x8mm



CYC-0182 REF C 14.22
PZA | BASE.ANCLAJ.CUAD.S/
H.MET.20X20*8mm

REF A=8.88 REF B=13.51

20x20"
x10mm



CYC-0183 REF C 17.14
PZA | BAS.ANCLAJ CUAD.S/
H.MET.20X20*10mm

REF A=10.7 REF B=16.29

25x25"
x6mm



CYC-0188 REF C 14.69
PZA | BASE.ANCLAJ.CUAD.S/
H.MET.25X25*6mm

REF A=9.17 REF B=13.96

25x25"
x8mm



CYC-0189 REF C 19.55
PZA | BASE.ANCLAJ.CUAD.S/
H.MET.25X25*8mm

REF A=12.2 REF B=18.57

25x25"
x10mm



CYC-0192 REF C 24.26
PZA | BASE.ANCLAJ.CUAD.S/
H.MET.25X25*10mm

REF A=15.14 REF B=23.04

52CC-70Cm
1950W



MAQ-0400 REF C 346.48
PZA | CAVA HOYOS GASOL.52C 1950W
70CM XFO

REF A=216.28 REF B=329.18



50mts
x1/2"



MHC-2240 REF C 11.74
PZA |CINTA TOPOGRAFO 50 MTSX1/2
COBRA

REF A=7.33 REF B=11.16



50mts



MHC-2246 REF C 14.71
PZA |CINTA TOPOGRAFO FIBRA 50 Mt
COBRA

REF A=9.18 REF B=13.98



MHC-8616 REF C 3.77
PZA |NIVEL FIBRA 18"COBRA

REF A=2.35 REF B=3.58



24"



MHC-8619 REF C 4.25
PZA |NIVEL FIBRA 24"COBRA

REF A=2.66 REF B=4.04



27M



MHC-8795 REF C 7.72
PZA |MARTILLO CARPINT.MGO/FIBRA 27M
COB

REF A=7.38 REF B=8.14



55LT



MHT-1804 REF C 98.39
PZA |CARRETIL.R/MACIZ NEG 55LT ML21
NAC

REF A=61.42 REF B=93.48



75LT



MHT-1810 REF C 111.11
PZA |CARRETIL.R/MACIZ NAR 75LT ML26
NAC

REF A=69.35 REF B=105.56



80LT

ZASC

MHT-1811 REF C 110.34
PZA |CARRETILLA RUEDA MACIZA NEGRA
80LT

REF A=68.87 REF B=104.83



1/2"-1/16"
3/32"-1/8"



MHT-2191 REF C 3.16
SET | CENTRO PUNTO 4P
1/32-1/16-3/32-1/8 D

REF A=1.97 REF B=3



12PCS



MHT-2195 REF C 25.2
SET | CENTRO PUNTO/CINCEL/BOTAD.SET
12P DI
REF A=15.73 REF B=23.94



3Mx5/8"



MHT-2221 REF C 1.77
PZA |CINTA MET.C/PROT-GOM
3MX5/8"SEA.165
REF A=1.1 REF B=1.68



5Mx1"



MHT-2241 REF C 2.73
PZA |CINT.MET.PLA.C/PROT.5MTX1"C/F
S164
REF A=1.7 REF B=2.59



MHT-2464 REF C 3
KIT | CORTA PRECISION T/LAPIZ 13Pza
DT203
REF A=1.87 REF B=2.85



16"



MHT-2478 REF C 21.22
PZA |CORTADOR CERAMICA 40CM 16" DS
0212
REF A=13.24 REF B=20.16



4.1/2"



MHT-4425 REF C 3.25
PZA |DISC.4.1/2 CORT.SECO SEGME.WID
ZASC
REF A=2.03 REF B=3.09



7"x7/8"



MHT-4435 REF C 5.54
PZA |DISC.7"CORT.C/SECO SEGME.WID/
MARM D
REF A=3.46 REF B=5.26



7"




MHT-4440 REF C 6.74
PZA |DISCO.7"CORT.SECO TURBO.WIDIA
ZASC
REF A=4.21 REF B=6.41



2x1"
100x28mm



MHT-7397 REF C 21.22
CJA | GANCHO L P/T 2X1 LIT 100X28 HG
C100
REF A=13.24 REF B=20.16



2x1"
120x28mm



MHT-7402 REF C 24.48
CJA | GANCHO L P/T 2X1 LIT 120X28 HG
C100

REF A=15.28 REF B=23.26



1/4"



MHT-7550 REF C 5.3
PZA | GRILLETE 1/4" IMP

REF A=3.31 REF B=5.03



5/16"



MHT-7553 REF C 2.1
PZA | GRILLETE 5/16" IMP

REF A=1.31 REF B=1.99



3/8"



MHT-7556 REF C 2.54
PZA | GRILLETE 3/8" IMP

REF A=1.59 REF B=2.42



18DIENTES
12"



MHT-7785 REF C 64.58
BLT | HOJA SEGUETA BLA/BIMET.18D B/50P
DT

REF A=40.31 REF B=61.36




18
Dientes

MHT-7790 REF C 2.26
PZA | HOJA P/SEGUETA BLANCA LENOX DE
18D

REF A=1.41 REF B=2.15



#3
160Gr



MHT-8347 REF C 1.77
PZA | LANA ACERO GRADO 3 IMP 160 Grs
320

REF A=1.1 REF B=1.68




#3-400Gr



MHT-8348 REF C 3.93
PZA | LANA ACERO GRADO 3 IMP 400Gs
DIESEL

REF A=2.45 REF B=3.74



#5-160Gr




MHT-8350 REF C 2.03
PZA | LANA ACER.GRAD 5 IMP 160Gr ANAB/
DIES

REF A=1.27 REF B=1.93



#5
400Gr



DIESEL TOOLS

MHT-8355 REF C 4.25
PZA | LANA ACER GRAD 5 IMP 400GrS AN/
DIES
REF A=2.66 REF B=4.04



1000gr

DIESEL TOOLS

MHT-8605 REF C 7.54
PZA | MANDARRIA M/MADERA 2LB 1000G
WOLF/DS
REF A=4.71 REF B=7.17



2.5LB

Wolfgang

MHT-8607 REF C 17.29
PZA | MANDARRIA MANG MADERA 2.5LB
WOLFGAN
REF A=10.79 REF B=16.42



1500Gr

DIESEL TOOLS

MHT-8608 REF C 10.57
PZA | MANDARRIA M/MADERA 3LBS 1500G
WOLF
REF A=6.6 REF B=10.04



1500gr

FERMETAL

MHT-8610 REF C 19.43
PZA | MANDARRIA C/CABO MAD 1500GRS
IM
REF A=12.13 REF B=18.46



9"

MHT-8803 REF C 2.35
PZA | NIVEL TOR.PLA.9"C/IMAN
GRAN.HM1263
REF A=1.47 REF B=2.24



36"

HUNTER

MHT-8816 REF C 10.53
PZA | NIVEL ALUMIN.36"3 GOTA
HUNT.HM1268
REF A=6.57 REF B=10



48"

HUNTER

MHT-8818 REF C 12.55
PZA | NIVEL ALUMIN.48"3 GOTA
HUNT.HM1269
REF A=7.84 REF B=11.93



86-1

MHT-8819 REF C 0.85
PZA | NIVEL HILO PLAST 86-1 IMP SUELTOS
REF A=0.53 REF B=0.81

12"


MHT-8821 REF C 5.16
 PZA |NIVEL ALUMIN.12"3GOTAS HUN.HM
 1265
REF A=3.22 REF B=4.9

12"

MHT-8822 REF C 1.9
 PZA |NIVEL RECTO 3 GOTA PVC 12" PIT BUL
REF A=1.19 REF B=1.8

16"

MHT-8824 REF C 2.35
 PZA |NIVEL RECTO 3 GOTA 16" PVC SEC/PIT
REF A=1.47 REF B=2.24

20"


MHT-8825 REF C 2.38
 PZA |NIVEL RECTO 3 GOTA 20"PVC
 WOLFGANG
REF A=1.49 REF B=2.26

24"

MHT-8826 REF C 4.57
 PZA |NIVEL RECTO 3 GOTAS 24"PVC SECU/
 PIT
REF A=2.86 REF B=4.35

40"

MHT-8827 REF C 5.06
 PZA |NIVEL RECTO 3 GOTAS 40" PVC
 WOLFGAN
REF A=3.16 REF B=4.8

16"

MHT-8832 REF C 3.49
 PZA |NIVEL D/ALUMIN.16"3 GOTA
 ECONO.IM
REF A=2.18 REF B=3.31

18"

MHT-8833 REF C 3.61
 PZA |NIVEL D/ALUMIN.18"3 GOTA
 ECONO.IM
REF A=2.25 REF B=3.43

24"

MHT-8834 REF C 4.25
 PZA |NIVEL D/ALUMINI.24"3 GOTA
 ECONO.IM
REF A=2.66 REF B=4.04



MHT-8870 REF C 12.07
PZA | PIQUETA PALA PICO 400GRS C/
FIB.CR04
REF A=7.53 REF B=11.46



MHT-8875 REF C 7.7
BLT | PLOMADA CRIOLLA 300.GRS FAMASTIL
REF A=4.81 REF B=7.32



MHT-8876 REF C 2.89
PZA | PLOMADA DE PUNTA 400 GRS 224
REF A=1.8 REF B=2.75



MHT-8882 REF C 3.7
PZA | RATON C/BORDE METALICO C/
PLASTICO
REF A=2.31 REF B=3.51



MHT-8888 REF C 2.68
PZA | PALUST.ALBA¥IL.DENT.MANG/PLAS
BUF/R
REF A=1.67 REF B=2.54



MHT-8892 REF C 4.42
PZA | PALUSTRA P/ALBN.LISA MANG/
MAD.D0136
REF A=2.76 REF B=4.2



MHT-8898 REF C 15.29
PZA | PALA CUADRAD.CAB/MAD.MANG/
PLA.SE/MA
REF A=9.55 REF B=14.53



MHT-8899 REF C 10.25
PZA | PALA CUADRADA MANGO PLASTICO
ZASC
REF A=6.4 REF B=9.73



MHT-8900 REF C 15.19
PZA | PALA CUADRADA MANGO/PLA.T/
TRAM IMP
REF A=9.48 REF B=14.43



MHT-8901 REF C 15.12
PZA |PALA REDONDA C/MAD.MANG/PLAST
IMP
REF A=9.44 REF B=14.36



MHT-8908 REF C 7.41
PZA |PALA REDONDA S/CABO DIESEL 006
REF A=4.63 REF B=7.04



MHT-8909 REF C 10.25
PZA |PALA REDONDA MANGO PLASTICO
ZASC
REF A=6.4 REF B=9.73



2mm



MHT-8985 REF C 4.82
PQT |SEPARADOR DE BALDOSA 2.0MM
PQT100PC
REF A=3.01 REF B=4.58



2.5mm



MHT-8986 REF C 4.82
PQT |SEPARADOR DE BALDOSA 2.5MM
PQT100PC
REF A=3.01 REF B=4.58



35kg



MHT-9522 REF C 201.85
CU¥ |OXIDO P/PISO AMARIL.PAILA 35 KGS
REF A=126 REF B=191.77



1kg



MHT-9524 REF C 4.71
BOL |OXIDO P/PISO AMARILLO BOLSA 1KGS
REF A=4.5 REF B=4.96



1kg



MHT-9534 REF C 7.05
BOL |OXIDO P/PISO VERDE BOLSA 1KGS
REF A=4.4 REF B=6.7



1kg



MHT-9536 REF C 7.05
BOL |OXIDO P/PISO VERDE PRADERA BOL
1KG
REF A=4.4 REF B=6.7



25kg




MHT-9545 REF C 176.22
CU¥ |OXIDO P/PISO AZUL PACIFICO 25 KGS

REF A=110 REF B=167.42



1kg



MHT-9547 REF C 7.05
BOL |OXIDO P/PISO AZUL PACIFICO BOL 1KG

REF A=4.4 REF B=6.7



35kg



MHT-9560 REF C 201.85
CU¥ |OXIDO PARA PIS.MARRON PAILA 35 KGS

REF A=126 REF B=191.77



1kg



MHT-9562 REF C 5.77
BOL |OXIDO PARA PISO MARRON BOLSA 1KGS

REF A=3.6 REF B=5.48



2kg



MHT-9565 REF C 11.53
BOL |OXIDO PARA PISO AMARIL BOLSA 2 KGS

REF A=7.2 REF B=10.96



2kg



MHT-9566 REF C 14.1
BOL |OXIDO PARA PISO VERDE BOLSA 2 KGS

REF A=8.8 REF B=13.39



2kg



MHT-9568 REF C 11.53
BOL |OXIDO PARA PISO MARRON .BOL 2 KGS

REF A=7.2 REF B=10.96



2kg



MHT-9569 REF C 14.1
BOL |OXIDO PARA PISO AZUL BOLSA 2 KGS

REF A=8.8 REF B=13.39



2kg



MHT-9585 REF C 7.21
BOL |OXICOLO CARAT.ROSA VIEJ/PIN BOL 2KG

REF A=4.5 REF B=6.85

2kg


MHT-9605 REF C 7.21
BOL |OXICOLOR CARATEO ARENA BOL 2KG

REF A=4.5 REF B=6.85

2kg

MHT-9610 REF C 7.21
BOL |OXICOLOR CARATEO AMARILLO BOL 2KG

REF A=4.5 REF B=6.85

2kg

MHT-9640 REF C 7.21
BOL |OXICOLOR CARAT AZUL CELESTE BOL 2K

REF A=4.5 REF B=6.85

2kg

MHT-9645 REF C 7.21
BOL |OXICOLOR CARAT.VERDE/GRAMA BOL 2K

REF A=4.5 REF B=6.85

2kg

MHT-9650 REF C 7.21
BOL |OXICOLOR CARAT.VERDE PRADERA BOL 2K

REF A=4.5 REF B=6.85

2kg

MHT-9655 REF C 7.21
BOL |OXICOLOR CARATE.AMAR/COUNTR BOL 2K

REF A=4.5 REF B=6.85

**17.5mm
750Gr**

MYA-0103 REF C 23.25
ATD |ALAMBRE GALV.C-17.5 750GRS/PQT 4RLL

REF A=14.52 REF B=22.09

**1.2mm
800gr**

MYA-0105 REF C 29.38
PQT |ALAMBRE GALV.C-17.5 800GRS PQT.10R

REF A=18.34 REF B=27.91

**CALIBRE: 24
1/2"x1MTS
x25MTS****ZASC**

MYA-5052 REF C 43.47
RLL | MALL.POLLIT.GALV.C24 1/2HX1ALx25M Z

REF A=27.14 REF B=41.3



CALIBRE: 24
3/4"x1MTS
x25MTS



ZASC

MYA-5056 REF C 37.19

RLL | MALL.POLLIT.GALV.C24
3/4HX1ALx25M Z

REF A=23.21 REF B=35.33

3x3x25M




MYA-5090 REF C 312.27

RLL | MALLA T/CEDAZO GALV/CALT 3x3
X25mt

REF A=194.92 REF B=296.67

4x4x25M





MYA-5093 REF C 128.98

RLL | MALLA T/CEDAZO GALV/CALT 4x4
X25mt

REF A=80.51 REF B=122.54

5x5
x25mts




MYA-5095 REF C 114.99

RLL | MALLA T/CEDAZO GALV/CALT 5x5
X25mt

REF A=71.78 REF B=109.24



14x14x36"
0.90x25mts




MYA-5127 REF C 108.8

RLL | MALLA
MOSQU.ALUM.14x14x36"0.90x25m

REF A=67.91 REF B=103.37

14x14x42"
1.05x25m




MYA-5130 REF C 144.12

RLL | MALLA
MOSQU.ALUM.14x14x42"1.05x25m

REF A=89.96 REF B=136.93

14x14x48"
1.22x25m



MYA-5133 REF C 159.66

RLL | MALLA
MOSQU.ALUM.14x14x48"1.22x25m

REF A=99.67 REF B=151.69

0.75



POL-5797 REF C 7.94

PZA | CUPLON ALUMINIO C/SEPARAD.GOMA
0.75

REF A=4.95 REF B=7.54

0.95



POL-5800 REF C 13.07

PZA | CUPLON ALUMINIO C/SEPARAD.GOMA
0.90

REF A=8.16 REF B=12.42

100

POL-5805 REF C 18.58
 PZA |CUPLON ALUMINIO C/SEPARAD.GOMA
 100

REF A=11.6 REF B=17.65

0.75

POL-5848 REF C 4.24
 PZA |GOMA TIPO L P/CUPLON 0.75

REF A=2.65 REF B=4.03

0.95

POL-5850 REF C 5.65
 PZA |GOMA TIPO L P/CUPLON 0.95

REF A=3.53 REF B=5.37

110

POL-5858 REF C 13.85
 PZA |GOMA TIPO L P/CUPLON 110

REF A=8.64 REF B=13.16

225

POL-5875 REF C 31.09
 PZA |GOMA TIPO L P/CUPLON 225

REF A=19.4 REF B=29.53

3"

DIESEL TOOLS

POL-5950 REF C 7.87
 PZA |POLEAS DE GANCHO 3" DIESEL T M37

REF A=4.91 REF B=7.47

2"

POL-6000 REF C 2.54
 PZA |POLEAS ALUMINIO.1 CANAL TIP A 2"

REF A=1.59 REF B=2.42

2.1/2"

POL-6002 REF C 3.7
 PZA |POLEAS ALUMINIO.1 CANAL TIP A
 2.1/2

REF A=2.31 REF B=3.51

3"

POL-6004 REF C 5.23
 PZA |POLEAS ALUMINIO.1 CANAL TIP A 3"

REF A=3.26 REF B=4.97

3.1/2"



POL-6006 REF C 6.22
PZA |POLEAS ALUMINIO.1 CANAL TIP A 3.1/2
REF A=3.88 REF B=5.91

4"



POL-6008 REF C 8.43
PZA |POLEAS ALUMINIO.1 CANAL TIP A 4"
REF A=5.26 REF B=8.01

**1 CANAL
TIPO A -4.1/2"**



POL-6010 REF C 10.9
PZA |POLEAS ALUMINIO.1 CANAL TIP A 4.1/2
REF A=6.81 REF B=10.36

**1 CANAL
TIPO A -5"**



POL-6012 REF C 11.87
PZA |POLEAS ALUMINIO.1 CANAL TIP A 5"
REF A=7.41 REF B=11.28

**1 CANAL
TIPO A -6"**



POL-6014 REF C 14.88
PZA |POLEAS ALUMINIO.1 CANAL TIP A 6"
REF A=9.29 REF B=14.14

**1 CANAL
TIPO A -7"**



POL-6016 REF C 21.01
PZA |POLEAS ALUMINIO.1 CANAL TIP A 7"
REF A=13.11 REF B=19.96

**1 CANAL
TIPO A -8"**



POL-6018 REF C 26.96
PZA |POLEAS ALUMINIO.1 CANAL TIP A 8"
REF A=16.83 REF B=25.62

**1 CANAL
TIPO A -9"**



POL-6020 REF C 26
PZA |POLEAS ALUMINIO.1 CANAL TIP A 9"
REF A=16.23 REF B=24.7

**1 CANAL
TIPO A -10"**



POL-6022 REF C 33.02
PZA |POLEAS ALUMINIO.1 CANAL TIP A 10"
REF A=20.61 REF B=31.37

**1 CANAL
TIPO A -12"**



POL-6024 REF C 36.2
PZA |POLEAS ALUMINIO.1 CANAL TIP A 12"

REF A=22.59 REF B=34.39

**1 CANAL
TIPO B -2.1/2"**



POL-6032 REF C 3.7
PZA |POLEAS ALUMINIO.1 CANAL TIP B 2.1/2

REF A=2.31 REF B=3.51

**1 CANAL
TIPO B -4.1/2"**



POL-6040 REF C 10.9
PZA |POLEAS ALUMINIO.1 CANAL TIP B 4.1/2

REF A=6.81 REF B=10.36

**1 CANAL
TIPO B -7"**



POL-6046 REF C 21.01
PZA |POLEAS ALUMINIO.1 CANAL TIP B 7"

REF A=13.11 REF B=19.96

**1 CANAL
TIPO B -8"**



POL-6048 REF C 26.96
PZA |POLEAS ALUMINIO.1 CANAL TIP B 8"

REF A=16.83 REF B=25.62

**1 CANAL
TIPO B -10"**



POL-6052 REF C 33.02
PZA |POLEAS ALUMINIO.1 CANAL TIP B 10"

REF A=20.61 REF B=31.37

**1 CANAL
TIPO B -12"**



POL-6054 REF C 36.2
PZA |POLEAS ALUMINIO.1 CANAL TIP B 12"

REF A=22.59 REF B=34.39

**2 CANAL
TIPO A -2"**



POL-6060 REF C 7.18
PZA |POLEAS ALUMINIO 2 CANAL TIP A 2"

REF A=4.48 REF B=6.82

**2 CANAL
TIPO A -2.1/2"**



POL-6062 REF C 6.03
PZA |POLEAS ALUMINIO 2 CANAL TIP A 2.1/2

REF A=3.76 REF B=5.73



POL-6064 REF C 9.44
PZA | POLEAS ALUMINIO 2 CANAL TIP A 3"
REF A=5.89 REF B=8.97



2 CANAL
TIPO A -3.1/2"



POL-6066 REF C 12.06
PZA | POLEAS ALUMINIO 2 CANAL TIP A 3.1/2"
REF A=7.53 REF B=11.46



2 CANAL
TIPO A -4"



POL-6068 REF C 13.68
PZA | POLEAS ALUMINIO 2 CANAL TIP A 4"
REF A=8.54 REF B=13



2 CANAL
TIPO A -4.1/2"



POL-6070 REF C 16.7
PZA | POLEAS ALUMINIO 2 CANAL TIP A 4.1/2"
REF A=10.42 REF B=15.86



2 CANAL
TIPO A -5"



POL-6072 REF C 19.1
PZA | POLEAS ALUMINIO 2 CANAL TIP A 5"
REF A=11.92 REF B=18.14



2 CANAL
TIPO A -6"



POL-6074 REF C 23.93
PZA | POLEAS ALUMINIO 2 CANAL TIP A 6"
REF A=14.94 REF B=22.73



2 CANAL
TIPO A -7"



POL-6076 REF C 37.21
PZA | POLEAS ALUMINIO 2 CANAL TIP A 7"
REF A=23.23 REF B=35.35



2 CANAL
TIPO A -8"



POL-6078 REF C 43.24
PZA | POLEAS ALUMINIO 2 CANAL TIP A 8"
REF A=26.99 REF B=41.08



2 CANAL
TIPO A -9"



POL-6080 REF C 40.03
PZA | POLEAS ALUMINIO 2 CANAL TIP A 9"
REF A=24.99 REF B=38.03



**2 CANAL
TIPO A -10"**



POL-6082 REF C 53.69
PZA | POLEAS ALUMINIO 2 CANAL TIP A 10"

REF A=33.52 REF B=51.01



**2 CANAL
TIPO A -12"**



POL-6084 REF C 70.65
PZA | POLEAS ALUMINIO 2 CANAL TIP A 12"

REF A=44.1 REF B=67.12



**2 CANAL
TIPO B -5"**



POL-6102 REF C 19.1
PZA | POLEAS ALUMINIO 2 CANAL TIP B 5"

REF A=11.92 REF B=18.14



**2 CANAL
TIPO B -6"**



POL-6104 REF C 23.93
PZA | POLEAS ALUMINIO 2 CANAL TIP B 6"

REF A=14.94 REF B=22.73



**2 CANAL
TIPO B -7"**



POL-6106 REF C 37.21
PZA | POLEAS ALUMINIO 2 CANAL TIP B 7"

REF A=23.23 REF B=35.35



**2 CANAL
TIPO B -8"**



POL-6108 REF C 26.53
PZA | POLEAS ALUMINIO 2 CANAL TIP B 8"

REF A=25.36 REF B=27.97



**2 CANAL
TIPO B -9"**



POL-6110 REF C 46.04
PZA | POLEAS ALUMINIO 2 CANAL TIP B 9"

REF A=28.74 REF B=43.74



**2 CANAL
TIPO B -10"**



POL-6112 REF C 61.7
PZA | POLEAS ALUMINIO 2 CANAL TIP B 10"

REF A=38.51 REF B=58.62



**2 CANAL
TIPO B -12"**



POL-6114 REF C 81.25
PZA | POLEAS ALUMINIO 2 CANAL TIP B 12"

REF A=50.72 REF B=77.19

2 CANAL
P.TROMPO -18"



POL-6160 REF C 79.2
PZA | POLEA ALUMINI.P/TROMPO 2 CANAL
18"
REF A=49.44 REF B=75.24

2"



DIESEL TOOLS

POL-6500 REF C 3.8
PZA | ROLDANA POLEA SIMPLE C/
GANCH.2"12/2
REF A=2.37 REF B=3.61

3"



DIESEL TOOLS

POL-6503 REF C 7.89
PZA | ROLDANA POLEA SIMPLE C/
GANCH.3"12/3
REF A=4.93 REF B=7.5

5"



DIESEL TOOLS

POL-6509 REF C 18.78
PZA | ROLDANA POLEA SIMPLE C/
GANCH.5"12/5
REF A=11.72 REF B=17.84

6"



DIESEL TOOLS

POL-6512 REF C 33.15
PZA | ROLDANA POLEA SIMPLE C/
GANCH.6"12/6
REF A=20.69 REF B=31.49

1/8-3.2m
x8m-5/16



DIESEL TOOLS

REM-4902 REF C 12.6
CJA | 43-REMAC.ALM.1/8-3.2MX8M-5/16
1000PZ
REF A=7.87 REF B=11.97

1/8"-3.2mm
x10mm-3/8"



Q7

REM-4904 REF C 6.78
CJA | 44-REMAC.AL.Q7 1/8-3.2MX10M-3/8
500P
REF A=4.23 REF B=6.44

1/8"-3.2mm
x13mm-1/2"



Q7

REM-4908 REF C 7.64
CJA | 46-REMAC.AL.Q7 1/8-3.2MX13M-1/2
500PZ
REF A=4.77 REF B=7.26

1/8-3.2m
x15m-5/8



SACO

REM-4909 REF C 15.76
CJA | 47-REMAC.ALUM.1/8-3.2MX15M-5/8
1000P
REF A=9.84 REF B=14.97

1/8-3.2m
x15m-5/8



SACO

REM-4910 REF C 10.41
CJA | 47-REMAC.AL.SCO 1/8-3.2MX15M-5/8
500P
REF A=6.5 REF B=9.89

1/8-3.2m
x19m-3/4



REM-4912 REF C 17.66
CJA | 48-REMAC.ALUM.1/8-3.2x19Mm-3/4
1000PZ
REF A=11.02 REF B=16.78

5/32"-4mm
x10mm-3/8"



Q7

REM-4924 REF C 10.19
CJA | 54-REMAC.AL.Q7 5/32-4MX10M-3/8
500P
REF A=6.36 REF B=9.68

5/32"-4mm
x13mm-1/2"



Q7

REM-4928 REF C 11.32
CJA | 56-REMAC.AL.Q7 5/32-4MX13M-1/2
500P
REF A=7.07 REF B=10.75

5/32"-4mm
x22mm-7/8"



SACO

REM-4936 REF C 19.69
CJA | 59-REMAC.AL.SCO 5/32-4MX22M-7/8
500P
REF A=12.29 REF B=18.71

3/16"-4.8mm
x6.4mm-1/4"



SACO

REM-4938 REF C 15.76
CJA | 62-REMAC.AL.SC 3/16-4.8MX6.4M 1/4
500P
REF A=9.84 REF B=14.97

3/16x3/8"
4.8x10mm



Q7

REM-4940 REF C 14.71
CJA | 64-REM.AL.Q7 3/16-4.8MX10M-3/8
500P
REF A=9.18 REF B=13.97

3/16-4.8m
x12m-1/2



DIESEL TOOLS

REM-4942 REF C 12.76
CJA | 65-REM.ALUM.3/16-4.8X12M-1/2
500PZA
REF A=7.97 REF B=12.12

3/16"-4.8mm
x13mm-1/2"



Q7

REM-4944 REF C 16.41
CJA | 66-REM.AL.Q7 3/16-4.8MX13M-1/2
500P
REF A=10.25 REF B=15.59



**3/16-4.8m
x19m-3/4**

SACO®

REM-4946 REF C 15.4
CJA | 610-REM.AL.SC.3/16-4.8MX19M-3/4
500
REF A=9.61 REF B=14.63



**3/16"-4.8mm
x25mm-1"**

SACO®

REM-4948 REF C 25.2
CJA | 613-
REM.AL.SCO.3/16-4.8MX25M-1"500PZ
REF A=15.73 REF B=23.94



1/8"X1/4



REM-5000 REF C 12.29
CJA | 42-REMACHE.POP AL/AC 1/8"X1/4
500PZ
REF A=7.67 REF B=11.68



1/8"X5/16"



REM-5005 REF C 13.42
CJA | 43-REMACH.POP AL/AC 1/8"X5/16
500PZ
REF A=8.38 REF B=12.75



1/8"X5/8



REM-5025 REF C 17.21
CJA | 48-REMACHE.POP AL/AC 1/8"X5/8
500PZ
REF A=10.75 REF B=16.35



3/16X5/16



REM-5080 REF C 15.5
CJA | 63-REMACHE.POP AL/AC 3/16X5/16
250PZ
REF A=9.67 REF B=14.72



3/16X15/16



REM-6010 REF C 14.2
CJA | 612-REMAC.POP AL/AC 3/16X15/16
150P
REF A=8.86 REF B=13.49



3/16X1.1/16



REM-6015 REF C 23.64
CJA | 614-REMAC.POP AL/AC 3/16X1.1/16
250
REF A=14.76 REF B=22.46



1/4X1/2



REM-6055 REF C 27.41
CJA | 86-REMACH.POP AL/AC 1/4X1/2
200PZ
REF A=17.11 REF B=26.04



1/4-6m
x3/4-19m



REM-6060 REF C 17.66
CJA | 88-REMAC.ALUM.1/4-6MX3/4-19M
250PZ
REF A=11.02 REF B=16.78



1/4-6m
x1"-25m



REM-6065 REF C 21.27
CJA | 810-REMAC.ALUM.1/4-6MX1"-25M
250PZA
REF A=13.28 REF B=20.21



3/16X3/8



REM-6998 REF C 23.83
CJA | 64L REMACHE CABEZA GRD 3/16X3/8
250P
REF A=14.88 REF B=22.64



3/16"
x1/2"



REM-7020 REF C 12.04
CJA | 66LREM.CAB/GR.3/16-4.8MX12M-1/2
250
REF A=7.52 REF B=11.44



3/16"-4.8mm
x17mm-5/8"



REM-7023 REF C 12.92
CJA | 68LREM.CAB/GR.3/16-4.8MX17M-5/8
250
REF A=8.07 REF B=12.28



3/16"x4.8mm
x19mmx3/4"



REM-7025 REF C 13.86
CJA | 610LREM.CAB/GR.3/16-4.8MX19-3/4
250
REF A=8.65 REF B=13.17



1/8"-8P
55%-250gr



SOL-2120 REF C 34.45
PQT |ELECTR.HIER/COLADO 55% 1/8 250G
8P
REF A=21.51 REF B=32.73



90°
PRO 18



SOL-4812 REF C 74.04
PZA |62-3 SOPLET. 90° T/HARRIS PRO 18
WT
REF A=46.22 REF B=70.34



SOL-4822 REF C 94.53
PZA |72-3 ADITAMENTO D/CORT.T/HARRIS
WT
REF A=59.01 REF B=89.81



weldtech®

SOL-4842 REF C 83.18
PZA | 42-3 MANGO P/ADITAMENT.T/HARRIS
WT
REF A=51.92 REF B=79.02



weldtech®

SOL-4844 REF C 82.75
PZA | 315C MANGO P/ADITAMENT.T/
VICTOR WT
REF A=51.66 REF B=78.62



weldtech®

SOL-4860 REF C 25.72
PZA | MEZCLADOR T/HARRIS P/PICO
SOLDA.WT
REF A=16.05 REF B=24.43

**#00, #0
y #1**



weldtech®

SOL-4862 REF C 25.03
PZA | MEZCL.T/VICT.P/PIC.SOLD.#00/0/1
WT
REF A=15.63 REF B=23.78

#0



weldtech®

SOL-4891 REF C 19.24
PZA | 6290A PIC/CORT.HARRIS ACETIL.#0
WT
REF A=12.01 REF B=18.28

#0



weldtech®

SOL-4892 REF C 24.09
PZA | 1-101 PIC/CORT.VICTOR ACETIL.#0
WT
REF A=15.04 REF B=22.89

#1



weldtech®

SOL-4901 REF C 19.24
PZA | 6290A PIC/CORT.HARRIS ACETIL.#1
WT
REF A=12.01 REF B=18.28

#1



weldtech®

SOL-4902 REF C 24.09
PZA | 1-101 PIC/CORT.VICTOR ACETIL.#1
WT
REF A=15.04 REF B=22.89

#2



weldtech®

SOL-4912 REF C 24.09
PZA | 1-101 PIC/CORT.VICTOR ACETIL.#2
WT
REF A=15.04 REF B=22.89

#3



weldtech®

SOL-4921 REF C 19.24
PZA | 6290A PIC/CORT.HARRIS ACETIL.#3
WT
REF A=12.01 REF B=18.28

#3



weldtech®

SOL-4922 REF C 24.09
PZA | 1-101 PIC/CORT.VICTOR ACETIL.#3
WT
REF A=15.04 REF B=22.89

2% - 1/8" 50cm



HARRIS

SOL-9797 REF C 2.83
PZA | VARILLA.PLATA 2% 1/8 50CM
HARRISPZA
REF A=1.76 REF B=2.68

ER308L 1/16"x36cm



SOL-9840 REF C 0.82
PZA | VARILLA INOX A/I ER308L 1/16X 36
OXF
REF A=0.51 REF B=0.78