




CATÁLOGO DE **PRODUCTOS**

ABRASIVOS
Y SOLDADURAS




Gr 280



DIGIDISK

ABR-0280 REF C 27.23
PQT |LIJA PREMIER GRANO 280. CARBO/
DIGID
REF A=17 REF B=25.87

Gr 320



DIGIDISK

ABR-0320 REF C 27.23
PQT |LIJA PREMIER GRANO 320. CARBO/
DIGID
REF A=17 REF B=25.87

Gr 100



ZASC

ABR-0720 REF C 5.62
PQT |LIJA AGUA IMPERMEAB.ZASC #100
25PZA
REF A=3.51 REF B=5.34

Gr 240



ZASC

ABR-0780 REF C 5.62
PQT |LIJA AGUA IMPERMEAB.ZASC #240
25PZA
REF A=3.51 REF B=5.34

Gr 280



ZASC

ABR-0785 REF C 5.62
PQT |LIJA AGUA IMPERBEAB.ZASC #280
25PZA
REF A=3.51 REF B=5.34

Gr 320



ZASC

ABR-0790 REF C 5.62
PQT |LIJA AGUA IMPERMEAB.ZASC #320
25PZA
REF A=3.51 REF B=5.34

Gr 360



ZASC

ABR-0795 REF C 5.62
PQT |LIJA AGUA IMPERMEAB.ZASC #360
25PZA
REF A=3.51 REF B=5.34

Gr 400



ZASC

ABR-0800 REF C 5.62
PQT |LIJA AGUA IMPERMEAB.ZASC #400
25PZA
REF A=3.51 REF B=5.34

Gr 600



ZASC

ABR-0840 REF C 5.62
PQT |LIJA AGUA IMPERMEAB.ZASC #600
25PZA
REF A=3.51 REF B=5.34

Gr 100

ABR-0853 REF C 9.44
PQT |LIJA AGUA CASTOR/DIESEL TOOL
GR#100
REF A=5.9 REF B=8.97

120gr

ABR-0856 REF C 9.79
PQT |LIJA AGUA DIESEL TOOLS GRANO #
120
REF A=6.11 REF B=9.3

Gr 180

ABR-0861 REF C 9.44
PQT |LIJA AGUA SPEED/DIESEL TOOLS
GR#180
REF A=5.9 REF B=8.97

#220

ABR-0863 REF C 11.26
PQT |LIJA AGUA SPEED/DIESEL TOOLS
GR#220
REF A=7.03 REF B=10.7

Gr 180

ABR-0915 REF C 96.89
PQT |LIJA AL AGUA 3M SERIE 431Q GR 180
REF A=60.48 REF B=92.05

4.1/2x 1.3mm x7/8


ABR-1089 REF C 0.64
PZA |DISCO CORT.DCR.4.1/2X1.3MX7/8
HA DIE
REF A=0.4 REF B=0.61

4.1/2x2m x7/8

ABR-1092 REF C 1.67
PZA |DISCO CORT.DCR 4.1/2X2MX7/8 H/
I.LTW
REF A=1.04 REF B=1.59

4.1/2"x1mm x7/8"

ABR-1096 REF C 0.68
PZA |DISC.P/CORTE.DCR 4 1/2X1MMX7/8
ZASC
REF A=0.42 REF B=0.65

4.1/2"x1.2mm x7/8"

ABR-1098 REF C 0.68
PZA |DISCO CORT.DCR 4 1/2X1.2X7/8 Q7/
VALT
REF A=0.42 REF B=0.64

4.1/2"x1/2"
x7/8"



Q7

ABR-1099 REF C 0.7

PZA | DISCO CORTE.PLAN.4 1/2X1.2X7/8 Q7

REF A=0.44 REF B=0.67

4.1/2x1/8
x7/8



CARBORUNDUM

ABR-2000 REF C 2

PZA | DISCO P/CORT.DCR.4 1/2X1/8X7/8
LTW

REF A=1.25 REF B=1.9

4.1/2"x1/8"
x7/8"



ZASC

ABR-2001 REF C 0.78

PZA | DISCO P/CORT.DCR.4 1/2X1/8X7/8
ZA/PO

REF A=0.49 REF B=0.74

4.1/2x1/4
x7/8"



DIESEL TOOLS

ABR-2005 REF C 0.91

PZA | DISCO ESMER.DCR.4 1/2X1/4X7/8
DT192

REF A=0.57 REF B=0.86

4.1/2"x1/4"
x7/8"



DEWALT

ABR-2006 REF C 3.4

PZA | DIS.ESM.DCR.4 1/2X1/4X7/8
DEW.44720

REF A=2.12 REF B=3.23

4.1/2"x1/4"
x7/8"



ZASC

ABR-2007 REF C 1.42

PZA | DISCO ESMER.DCR.4 1/2X1/4X7/8
ZASC

REF A=0.89 REF B=1.35

4.1/2x
1/4x7/8"



Wolfgang

ABR-2009 REF C 1.26

PZA | DISCO P/ESMER.DCR 4.1/2X1/4X7/8
WFGA

REF A=0.78 REF B=1.19

4.1/2"
x1.6mmx7/8"



ZASC

ABR-2023 REF C 1.43

PZA | DIS.CORT.PLA.7X1.6MX7/8 MET/
INO.ZAS

REF A=0.89 REF B=1.36

4.1/2"
1.6mmx7/8"



DIESEL TOOLS

ABR-2026 REF C 1.18

PZA | DISC.CORT.PLAN.7X1.6MX7/8 HI/I
DS91

REF A=0.74 REF B=1.12

7"x1/4"
x7/8"



ABR-2035 REF C 1.9
PZA | DISCO P/ESMERI.DCR 7X1/4X 7/8 HA FM
REF A=1.19 REF B=1.8

7"x1/4mm
x7/8"




ABR-2040 REF C 2.97
PZA | DISCO P/ESMER.DCR 7X1/4X7/8 HA PO/ Q7
REF A=1.85 REF B=2.82

12x1/8x1



ABR-2054 REF C 8.62
PZA | DISCO P/CORTAR.DC 12X1/8X1 HA LTW
REF A=5.38 REF B=8.19

4.1/2x1/8
x7/8



ABR-2067 REF C 1.96
PZA | DISCO COR.DCR 4.1/2X1/8X7/8 CONCR PRE
REF A=1.22 REF B=1.86

4.1/2x1/8
x7/8



ABR-2068 REF C 2
PZA | DISCO COR.DCR 4.1/2X1/8X7/8 CONCR/ INOX
REF A=1.25 REF B=1.9

4.1/2x1/4
x7/8




ABR-2069 REF C 1.94
PZA | DISCO ESM.DCR 4.1/2X1/4X7/8 CON/ IMP
REF A=1.21 REF B=1.84

7x1/4x7/8



ABR-2080 REF C 3.41
PZA | DISCO ESMERIL DCR 7X1/4X7/8 CONCR.SI
REF A=2.13 REF B=3.24

7x1/4x7/8



ABR-2083 REF C 3.83
PZA | DISCO P/ESME.DCR 7X1/4X7/8 CONCR-PRE
REF A=2.39 REF B=3.64

4.1/2"x7/8"
GR 60



ABR-2093 REF C 0.94
PZA | DISCO.ACAB.FLAP 4.5X7/8 GR60 MAXI
REF A=0.59 REF B=0.89

4.1/2"



Q7

ABR-2150 REF C 5.67
 PZA | DISC. POLICARB. 4.5" REMOVEDOR PINT Q7
 REF A=3.54 REF B=5.39

4.1/2"



Wolfgang

ABR-2155 REF C 6.93
 PZA | DISC. POLICARB. PREMIU. 4.5" REMOV. PIN T
 REF A=4.33 REF B=6.58

4.1/2" GR 16



ABR-3010 REF C 2.82
 PQT | FIBRO DISCO FLEXIBLE 4.1/2GR16.5PZA
 REF A=1.76 REF B=2.68

4.1/2" GR 24



MAXI TOOLS

ABR-3011 REF C 0.32
 PZA | FIBRO DISCO FLEXIBLE 4.1/2 GR24 MXT
 REF A=0.2 REF B=0.31

4.1/2" GR 36



MAXI TOOLS

ABR-3012 REF C 0.32
 PZA | FIBRO DISCO FLEXIBLE 4.1/2 GR36 MXT
 REF A=0.2 REF B=0.31

4.1/2" GR 80



MAXI TOOLS

ABR-3014 REF C 0.32
 PZA | FIBRO DISCO FLEXIBLE 4.1/2 GR80 MXT
 REF A=0.2 REF B=0.31

7"-Gr 16



MAXI TOOLS

ABR-3016 REF C 1.11
 PZA | FIBRO DISCO FLEXIBLE 7 GR # 16.IMP
 REF A=0.69 REF B=1.06

7"-Gr 24



MAXI TOOLS

ABR-3024 REF C 1.08
 PZA | FIBRO DISCO FLEXIBLE 7 GR # 24.IMP
 REF A=0.67 REF B=1.02

7"-Gr 50



MAXI TOOLS

ABR-3051 REF C 0.7
 PZA | FIBRO DISCO FLEXIBLE 7"GR # 50 IMP
 REF A=0.44 REF B=0.66

7"-Gr 60



MAXI
TOOLS

ABR-3060 REF C 1.08
PZA | FIBRO DISCO FLEXIBLE 7 GR # 60.IMP

REF A=0.67 REF B=1.02

7"-Gr 80




MAXI
TOOLS

ABR-3080 REF C 0.7
PZA | FIBRO DISCO FLEXIBLE 7 GR # 80.IMP.

REF A=0.44 REF B=0.66

7"-GR 100



ABR-3100 REF C 1.07
PZA | FIBRO DISCO FLEXIBLE 7 GR # 100

REF A=0.67 REF B=1.02

7"-Gr 120



MAXI
TOOLS

ABR-3121 REF C 0.75
PZA | FIBRO DISCO FLEXIBLE.7"GR # 120 IMP

REF A=0.47 REF B=0.71

6x1x1.1/4"
GR36



DIESEL TOOLS

ABR-3130 REF C 6.37
PZA | RUE-RECT.ESM.C/ADAPT.6X1X1.1/4
GR36

REF A=3.98 REF B=6.05

6x1x1.1/4"
GR46



DIESEL TOOLS

ABR-3133 REF C 6.13
PZA | RUE-RECT.ESM.C/ADAPT.6X1X1.1/4
GR46

REF A=3.83 REF B=5.82

8x1x1.1/4"
GR36



DIESEL TOOLS

ABR-3150 REF C 9.69
PZA | RUED-RECT.ESM.C/
ADAPT.8X1X1.1/4GR36

REF A=6.05 REF B=9.21

6"x1M
Gr 36



FAPROA C.A

ABR-5900 REF C 7.23
RLL | LIJA TELA ROLLITO 6"GR 36 X 1 MTS

REF A=4.51 REF B=6.87

4.1/2"
x7/8"



DIESEL TOOLS

MHT-4429 REF C 2.94
PZA | DIS.4.1/2
CORT.SECO.SEGMENT.WIDIA.D

REF A=1.84 REF B=2.8



7"x7/8"



DIESEL TOOLS

MHT-4435 REF C 5.54
PZA | DISC. 7" CORT. C/SECO SEGME. WID/ MARM D
REF A=3.46 REF B=5.26



1/4", A26

RUE-1052 REF C 2.8
PZA | RUEDA C/EJE P/REBAJ. 1/4" A26 IMP
REF A=1.75 REF B=2.66



DIESEL TOOLS

SOL-0595 REF C 4.09
PZA | CARETA P/SOLDAR VIDRIO MOVIL DT/ IMP
REF A=2.56 REF B=3.89



SOL-0605 REF C 8.92
PZA | CARETA ESMERILAR SIN/PANTALLA AMAR
REF A=5.57 REF B=8.48



SOL-0607 REF C 8.92
PZA | CARETA ESMERILAR SIN PANTALLA NEGRA
REF A=5.57 REF B=8.48



weldtech®

SOL-0670 REF C 20.44
PZA | CONECTOR LC-40 T/LEN. P/ CAB1/0-2/0WT
REF A=12.76 REF B=19.42



**3/32"-13P
250gr**

SOL-2032 REF C 45.05
PQT | ELECTR. HIERRO COLADO 3/32" 250GR 13P
REF A=28.12 REF B=42.8



**3/32"-16P
55%-250gr**

SOL-2034 REF C 34.45
PQT | ELECTR. HIER/ COLAD 55% 3/32 250G 15P
REF A=21.51 REF B=32.73



**1/8"
250grs**

SOL-2118 REF C 62.97
PQT | ELECTR. HIERRO COLADO 1/8" 250GR 6PZ
REF A=39.31 REF B=59.83



**1/8"-8P
55%-250gr**

SOL-2120 REF C 34.45
PQT |ELECTR.HIER/COLADO 55% 1/8 250G
8P
REF A=21.51 REF B=32.73



**6013 - 3/32"
5KILOS**



TOTALWELD

SOL-2997 REF C 15.04
PQT |ELECTRODO 6013 3/32 TOTALWELD
PQT5K
REF A=9.39 REF B=14.29



HoffmanArc

SOL-2999 REF C 22.84
PQT |ELECTRODO 6013 3/32 HOFFMAN
PQT5K
REF A=14.26 REF B=21.7



**6013 - 1/8"
5KILOS**



TOTALWELD

SOL-3017 REF C 15.04
PQT |ELECTRODO 6013 1/8 TOTALWELD
PQT5K
REF A=9.39 REF B=14.29



**7018 - 1/8"
PQT 5KG**

**LINCOLN
ELECTRIC**

SOL-3018 REF C 34.6
PQT |ELECTRODO LINCOLN E7018 1/8 PQT
5K
REF A=21.6 REF B=32.88



**1/8"-1Kg
E6010**



ZASC

SOL-3024 REF C 4.66
PQT |ELECTRODO E6010 1/8 ZASC PQT
1KG
REF A=2.91 REF B=4.43



**6010-5/32
PQT 5KG**

HoffmanArc

SOL-3026 REF C 38.62
PQT |ELECTRODO 6010 5/32 HOFFMAN
PQT5K
REF A=24.11 REF B=36.69



**3/32"-1Kg
E6011**



ZASC

SOL-3028 REF C 4.8
PQT |ELECTRODO E6011 3/32 ZASC PQT
1KG
REF A=3 REF B=4.56



HoffmanArc

SOL-3029 REF C 34.85
PQT |ELECTRODO 6011 1/8 HOFFMAN PQT
5KG
REF A=21.76 REF B=33.11



**E4043 - 3/32"
250gr-28PCS**



SOL-4114 REF C 26.49
PQT |ELEC.ALUMIN.E4043 BUCH 3/32 250g
28p
REF A=16.54 REF B=25.17



30PCS

DIESEL TOOLS

SOL-4770 REF C 261.43
PZA |EQUIP.OXICORT.MED.T/HARRI 12P
MARP
REF A=163.19 REF B=248.38



**90°
PRO 18**

weldtech®

SOL-4812 REF C 74.04
PZA |62-3 SOPLET. 90° T/HARRIS PRO 18
WT
REF A=46.22 REF B=70.34



weldtech®

SOL-4822 REF C 94.53
PZA |72-3 ADITAMENTO D/CORT.T/HARRIS
WT
REF A=59.01 REF B=89.81



weldtech®

SOL-4842 REF C 83.18
PZA |42-3 MANGO P/ADITAMENT.T/HARRIS
WT
REF A=51.92 REF B=79.02



weldtech®

SOL-4844 REF C 82.75
PZA |315C MANGO P/ADITAMENT.T/
VICTOR WT
REF A=51.66 REF B=78.62



weldtech®

SOL-4860 REF C 25.72
PZA |MEZCLADOR T/HARRIS P/PICO
SOLDA.WT
REF A=16.05 REF B=24.43



weldtech®

SOL-4862 REF C 25.03
PZA |MEZCL.T/VICT.P/PIC.SOLD.#00/0/1
WT
REF A=15.63 REF B=23.78

**#00, #0
y #1**



weldtech®

SOL-4891 REF C 19.24
PZA |6290A PIC/CORT.HARRIS ACETIL.#0
WT
REF A=12.01 REF B=18.28

#0

#0



weldtech®

SOL-4892 REF C 24.09
 PZA | 1-101 PIC/CORT.VICTOR ACETIL.#0
 WT
REF A=15.04 REF B=22.89

#1



weldtech®

SOL-4901 REF C 19.24
 PZA | 6290A PIC/CORT.HARRIS ACETIL.#1
 WT
REF A=12.01 REF B=18.28

#1



weldtech®

SOL-4902 REF C 24.09
 PZA | 1-101 PIC/CORT.VICTOR ACETIL.#1
 WT
REF A=15.04 REF B=22.89

#2



weldtech®

SOL-4912 REF C 24.09
 PZA | 1-101 PIC/CORT.VICTOR ACETIL.#2
 WT
REF A=15.04 REF B=22.89

#3



weldtech®

SOL-4921 REF C 19.24
 PZA | 6290A PIC/CORT.HARRIS ACETIL.#3
 WT
REF A=12.01 REF B=18.28

#3



weldtech®

SOL-4922 REF C 24.09
 PZA | 1-101 PIC/CORT.VICTOR ACETIL.#3
 WT
REF A=15.04 REF B=22.89

#0



weldtech®

SOL-5040 REF C 9.37
 PZA | PICO SOLDAR T/HARRIS ACETIL.#0 WT
REF A=5.85 REF B=8.9

#0



weldtech®

SOL-5041 REF C 10.24
 PZA | PICO SOLDAR T/VICTOR ACETIL.#0 WT
REF A=6.39 REF B=9.73

#1



weldtech®

SOL-5051 REF C 9.37
 PZA | PICO SOLDAR T/HARRIS ACETIL.#1 WT
REF A=5.85 REF B=8.9

#1



weldtech

SOL-5052 REF C 8.9
PZA | PICO SOLDAR T/VICTOR ACETIL.#1 WT

REF A=5.56 REF B=8.46

#2




weldtech

SOL-5061 REF C 9.37
PZA | PICO SOLDAR T/HARRIS ACETIL.#2 WT

REF A=5.85 REF B=8.9

#2



weldtech

SOL-5062 REF C 10.24
PZA | PICO SOLDAR T/VICTOR ACETIL.#2 WT

REF A=6.39 REF B=9.73

#3



weldtech

SOL-5071 REF C 9.37
PZA | PICO SOLDAR T/HARRIS ACETIL.#3 WT

REF A=5.85 REF B=8.9

#3



weldtech

SOL-5072 REF C 10.24
PZA | PICO SOLDAR T/VICTOR ACETIL.#3 WT

REF A=6.39 REF B=9.73




weldtech

SOL-5260 REF C 86.1
PZA | REGULADOR ACET.T/HARRIS MEDIO WT

REF A=53.74 REF B=81.8

2.1/2" 0-30PSI




weldtech

SOL-6000 REF C 8.36
PZA | MAN.2.1/2 ACET/PROP*BAJ 0-30PSI WT

REF A=5.22 REF B=7.94

2.1/2" 0-400PSI



weldtech

SOL-6030 REF C 8.36
PZA | MAN.2.1/2 ACET/PROP-ALT 0-400PSI WT

REF A=5.22 REF B=7.94

160amp 110/220v



FERMETAL

SOL-6115 REF C 252.57
PZA | MAQUINA SOLDAR AC 160A 110/220 C/V

REF A=157.66 REF B=239.95

**225amp
110/220v**



SOL-6116 REF C 342.46
PZA | MAQUIN.SOLDAR AC 225AMP
110/220V F
REF A=213.77 REF B=325.35

weldtech®


SOL-6700 REF C 2.66
PZA | LIMPIA PICO STANDART WELDTech
REF A=1.66 REF B=2.53

300g



DIESEL TOOLS

SOL-9500 REF C 5.56
PZA | PIQUETA/SOLDADOR PUNTA/CORTE
WCH300
REF A=3.47 REF B=5.28



SOL-9580 REF C 2.14
PZA | PORTATIZAS CON TIZA IMP
REF A=1.34 REF B=2.04



300A



DIESEL TOOLS

SOL-9600 REF C 5.38
PZA | PORTA ELECTRODO AMER/DIES.300
AMP
REF A=3.36 REF B=5.11



PERFECTWELD

SOL-9602 REF C 16.54
PZA | PORTA ELECTRODO PERFECTWELD
300 AMP
REF A=10.33 REF B=15.72

300amp



PERFECTWELD
URSO

SOL-9605 REF C 4.9
PZA | PORTA ELECTRODO 300 AMP URSO/
PERF
REF A=3.06 REF B=4.65

500amp




TOP QUALITY SECURITY®
Tools for Professionals

SOL-9610 REF C 7.05
PZA | PORTA ELECTRODO PESD.500 AMP
SECURTY
REF A=4.4 REF B=6.7

300amp



SOL-9650 REF C 2.57
PZA | PINZA DE TIERRA 300 AMPERIO.
REF A=1.6 REF B=2.44

**500A****SEAL TOOLS**

SOL-9652 REF C 4.66
 PZA | PINZA DE TIERRA 500 AMP SEAL 204

REF A=2.91 REF B=4.42




SOL-9795 REF C 0.82
 PZA | PIEDRA P/YESQ. TRIPLE x TRIANGULO

REF A=0.51 REF B=0.78

**0%-1/8" 90cm****HARRIS**


SOL-9801 REF C 3.01
 PZA | VARILLA. PLATA 0% 1/8 90CM HARRIS

REF A=1.88 REF B=2.86

#6

SOL-9804 REF C 0.45
 PZA | VIDRIO P/SOLDAR OSCURO #6 ALEMAN

REF A=0.28 REF B=0.43

#10

SOL-9807 REF C 0.27
 PZA | VIDRIO P/SOLDAR OSCURO #10 ALEMAN

REF A=0.17 REF B=0.25

#12


SOL-9818 REF C 0.24
 PZA | VIDRIO P/SOLDAR OSCURO #12 ALEMAN

REF A=0.15 REF B=0.23

#4**weldtech**


SOL-9823 REF C 1.34
 PAR | VIDRIO P/LENTE D/SOLDAR #4 WT 1 PAR

REF A=0.84 REF B=1.28

#5**weldtech**

SOL-9824 REF C 1.34
 PAR | VIDRIO P/LENTE D/SOLDAR #5 WT 1 PAR

REF A=0.84 REF B=1.28

#6**weldtech**

SOL-9825 REF C 1.34
 PAR | VIDRIO P/LENTE D/SOLDAR #6 WT 1 PAR

REF A=0.84 REF B=1.28



ER308L
1/16"x36cm


SOL-9840 REF C 0.82
PZA |VARILLA INOX A/I ER308L 1/16X 36
OXF
REF A=0.51 REF B=0.78



7"-180mm

Q7

SOL-9900 REF C 2.51
PZA |YESQUERO P/SOLDADOR SENCILLO
REF A=1.57 REF B=2.39



weldtech

SOL-9905 REF C 4.29
PZA |YESQUERO P/SOLDADOR /TRIPLE IMP
REF A=2.68 REF B=4.07



40%ESTAÑO
60%PLOMO
0.8mm

SECURITY
Tools for Professionals

SOL-9920 REF C 1.34
PZA |SOLDADURA ESTAÑO TUBITO 60/40
0.8M
REF A=0.84 REF B=1.27



40%ESTAÑO
60%PLOMO
1.00mm

SOLDER
CORE WIRE

SOL-9924 REF C 5.09
RLL | SOLDADURA C/RES.40/60 1.0MM
100G CF
REF A=3.18 REF B=4.83



13mts x1.0mm
80grs

DIESEL TOOLS

SOL-9925 REF C 1.28
RLL | SOLDAD.C/RESIN.1.0m 13MTS.80GR
DIES
REF A=0.8 REF B=1.22



1.00mm
x225gr

DIESEL TOOLS

SOL-9927 REF C 8.8
RLL | SOLDAD.C/RESIN.1.0m 225GRS
35mts DT
REF A=5.49 REF B=8.36



HASTA
250amp

SOL-9950 REF C 36.27
PZA |SWICHE UNI.P/MAQ.SOLDAR HASTA
250A
REF A=22.64 REF B=34.46



7pcs

TOTAL

TOT-1570 REF C 23.76
SET | ESCUAD.MAGNETICA SOLDADURA
7PC 7006
REF A=14.83 REF B=22.57



TOT-4600 REF C 23.76
PZA | MANGUERA HIDROJET 2175PSI 7.5MT
751
REF A=14.83 REF B=22.57